Examples of Measures for Low Traffic Neighbourhoods

Feature	Image	Descriptio
Barriers	ROAD CLOSED	Barriers similar to those use for widening programme could be us cost method of closing a road barriers can be made more aest art hoarding with the local com design with the emphasis not of how they can make a better no are currently being used for eme Camden.
Temporary Planters		As an alternative to barriers, t also be used as a low cost m motor traffic. The planters are a lead time and are freestanding the carriageway surface. The installed in Lewisham, Croydo Fulham and Hounslow
Feature	Image	Descriptio
Lockable bollards	<image/>	Lockable bollards are another method of closing a road to mot locks into its upright position and or removed for emergency acc are already used at various loca Chatsworth Road in Willesden Road in Kilburn. As a variation, designed and painted by local co

ion

or the emergency footway used as a simple and low oad to motor traffic. The esthetically pleasing using ommunity involved in the t only about covid-19 but neighbourhood. Barriers mergency road closures in

temporary planters can method to close road to available with a 1 week g with no need to fix into hey have already been vdon, Hammersmith and

tion

er simple and low cost notor vehicles The bollard and can either be lowered ccess. Lockable bollards cations in Brent including on Green and Hazelmere n, art bollards can also be community groups.

Permanent Planters	Permanent planters (with kerbs) range of designs and sizes ar option to close a road to m significantly improve the urba combined with other greenin wildflower plantings or sustai systems such as rain gardens.
Opposing one-way restrictions.	Areas of one way streets runnin can be designed to ensure moto progress through a low traffic n less opportunity for public rea other measures and a high le required. To avoid disrupting of flow" arrangements are also req
Cycle parking (bike hangers or bike ports)	Cycle parking is a key fe neighbourhoods. Bike hangars installed across a road to close encourage walking and cycling. catching cycle parking solution bicycles. The bold outline of a space efficiency of bikes. Th transport, assemble and insta solution for both temporary parking.

os) are available in a wide and offer a more robust motor traffic. They can ban realm and can be ing measures such as tainable urban drainage


ning in opposite directions otor vehicle traffic cannot neighbourhood. There is ealm improvements then level of enforcement is cycle networks, "contra equired for cyclists.

feature of low traffic rs or bike ports could be ose it to motor traffic and ng. A bike port is an eyeion that provides for 10 a car demonstrates the This product is easy to stall, making it a great and permanent cycle

Parklets		Parklets can be installed across both reduce motor traffic and community space with seating and even a play area for children rest points to make it possible for the distance they would normally neighbourhood.
----------	--	---

Appendix E: Extracts from Commonplace platform

oss the width of a street to d transform a road into a ng, planters, cycle stands lren. They can also provide e for people to walk double ally do in a wider low traffic



2 simple steps to add a comment.

